

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 1 of 12

Print date: 13/06/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: VO65003 GLASUR MOOSGRÜN
UFI: KR20-H0S6-N00T-7N7Q

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Ceramic use.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: **REIMBOLD UND STRICK HANDELS**
Address: Hansestr. 70
City: 51149 Köln
Telephone: +49 2203 8985-0
E-mail: info@reibold-und-strick.de
Web: www.reibold-und-strick.de

1.4 Emergency telephone number: + 49(0) 70024112112 (RSD) / +1 872 5888271 (RSD) / inside USA: +11 49(0) 70024112112 (RSD) / +1 872 5888271 (RSD) (Available 24 hours)

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

- Acute Tox. 4 : Harmful if inhaled.
- Acute Tox. 4 : Harmful if swallowed.
- Aquatic Acute 1 : Very toxic to aquatic life.
- Aquatic Chronic 1 : Very toxic to aquatic life with long lasting effects.
- Carc. 2 : Suspected of causing cancer.
- Lact. : May cause harm to breast-fed children.
- Repr. 1A : May damage fertility or the unborn child.
- STOT RE 1 : Causes damage to organs through prolonged or repeated exposure.

2.2 Label elements.

Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

Danger

Hazard statements:

- H302+H332 Harmful if swallowed or if inhaled.
- H351 Suspected of causing cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

- P201 Obtain special instructions before use.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 2 of 12

Print date: 13/06/2024

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy and while nursing.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.
P501	Dispose of contents/container according with current regulation.

EUH statements:

Restricted to professional users.

Contains:

Frits, chemicals (Pb >= 25 %)

Frits, chemicals (Subgrup 5.2)

Frits, chemicals (Subgrup 6CALT1)

2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

The product may have the following additional risks:

No other hazardous known as mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 65997-18-4 EC No: 266-047-6 Registration No: 01- 2119548361-42-XXXX	Frits, chemicals (Subgrup 6CALT1)	>=25% <50%	Carc. 2, H351 - Lact., H362 - Repr. 1A, H360Df - STOT RE 1, H372	-
CAS No: 65997-18-4 EC No: 266-047-6 Registration No: 01- 2119548361-42-XXXX	Frits, chemicals (Subgrup 5.2)	>=25% <50%	Acute Tox. 4, H332 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Aquatic Chronic 2, H411 - Carc. 2, H351 - Lact., H362 - Repr. 1A, H360Df - STOT RE 1, H372	-

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 3 of 12

Print date: 13/06/2024

CAS No: 65997-18-4 EC No: 266-047-6 Registration No: 01-2119548361-42-XXXX	Frits, chemicals (Pb >= 25 %)	>=10% <25%	Acute Tox. 4, H332 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 (M=1) - Carc. 2, H351 - Repr. 1A, H360Df - STOT RE 1, H372	-
CAS No: 1317-38-0 EC No: 215-269-1 Registration No: 01-2119502447-44-XXXX	copper oxide	>=2.5% <5%	Aquatic Acute 1, H400 (M=100) - Aquatic Chronic 1, H410 (M=10)	-
CAS No: 1309-37-1 EC No: 215-168-2 Registration No: 01-2119457614-35-XXXX	[2] diiron trioxide	>=1% <2.5%	-	-

(*): The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Delayed effects may occur after the exposure to the product.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Long-term chronic exposure may result in injury to certain organs or tissues.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

The product is NOT classified as flammable, in case of fire the following measures should be taken:

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 4 of 12

Print date: 13/06/2024

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

Code	Description	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

7.3 Specific end use(s).

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 5 of 12

Print date: 13/06/2024

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
diiron trioxide	1309-37-1	United Kingdom [1]	Eight hours		10 (total inhalable) 4 (respirable)
			Short term		

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
Frits, chemicals (Subgrup 6CALT1) CAS No: 65997-18-4 EC No: 266-047-6	DNEL (Workers)	Inhalation, Chronic, Systemic effects	0,004 (mg/m ³)
Frits, chemicals (Subgrup 5.2) CAS No: 65997-18-4 EC No: 266-047-6	DNEL (Workers)	Inhalation, Chronic, Systemic effects	0,004 (mg/m ³)
Frits, chemicals (Pb >= 25 %) CAS No: 65997-18-4 EC No: 266-047-6	DNEL (Workers)	Inhalation, Chronic, Systemic effects	0,004 (mg/m ³)
diiron trioxide CAS No: 1309-37-1 EC No: 215-168-2	DNEL (Workers)	Inhalation, Chronic, Local effects	10 (mg/m ³)
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	10 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Ceramic use.
Breathing protection:	
PPE:	Filter mask for protection against particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 149
Maintenance:	The mask must be changed periodically and in any case after every work shift. Never modificate the equipment.
Observations:	Use when exceeding TLV for one or more substances contained in the mixture.
Hand protection:	
PPE:	Protective gloves.
Characteristics:	«CE» marking, category II.
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 6 of 12

Print date: 13/06/2024

Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480	Material thickness (mm):	0,35
Eye protection:					
PPE:	Protective goggles against particle impacts.				
Characteristics:	«CE» marking, category II. Eye protector against dust and smoke.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection:					
If the product is handled correctly, no individual protection equipment is necessary.					

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid - Dust

Colour: grey

Odour: odourless

Odour threshold: not available

Melting point: not available °C

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable due to the nature of the product: solid.

Lower explosion limit: It does not contain chemical groups associated with explosive properties

Upper explosion limit: It does not contain chemical groups associated with explosive properties

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: It does not contain chemical groups associated with flammable properties °C

Decomposition temperature: not available °C

pH: Not applicable due to the nature of the product: solid.

Kinematic viscosity: Not applicable due to the nature of the product: solid.

Solubility: not available

Hydrosolubility: N/A

Liposolubility: not available

Partition coefficient n-octanol/water (log value): not available

Vapour pressure: not available

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 2,964 (Estimation based on the indication of the Regulation (CE) N°1272/2008.)

Relative vapour density: not available

Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable due to the nature of the product: solid.

Explosive properties: It does not contain chemical groups associated with explosive properties

Oxidizing properties: It does not contain chemical groups associated with oxidizing properties

Dropping point: not available

Blink: not available

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 7 of 12

Print date: 13/06/2024

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
diiron trioxide	Oral	LD50	Rat	>10000 mg/kg
	Dermal			
	Inhalation			

CAS No: 1309-37-1 EC No: 215-168-2

a) acute toxicity;

Product classified:

Acute toxicity (Inhalation), Category 4: Harmful if inhaled.

Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

ATE (Inhalation) = 3 mg/l/4 h (Dust or mist)

ATE (Oral) = 1.092 mg/kg

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Product classified:

Carcinogen, Category 2: Suspected of causing cancer.

g) reproductive toxicity;

Product classified:

Effects on or via lactation: May cause harm to breast-fed children.

Reproductive toxicant, Category 1A: May damage fertility or the unborn child.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Product classified:

Specific target organ toxicity following a repeated exposure, Category 1: Causes damage to organs through prolonged or repeated exposure.

j) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 8 of 12

Print date: 13/06/2024



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 9 of 12

Print date: 13/06/2024

14.1 UN number or ID number.

UN No: UN3077

14.2 UN proper shipping name.

Description:

ADR/RID: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER OXIDE / FRITS, CHEMICALS (PB >= 25 %)), 9, PG III, (-)

IMDG: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER OXIDE / FRITS, CHEMICALS (PB >= 25 %)), 9, PG III, MARINE POLLUTANT

ICAO/IATA: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS COPPER OXIDE / FRITS, CHEMICALS (PB >= 25 %)), 9, PG III

14.3 Transport hazard class(es).

Class(es): 9

14.4 Packing group.

Packing group: III

14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-F

14.6 Special precautions for user.

Labels: 9



Hazard number: 90

ADR LQ: 5 kg

IMDG LQ: 5 kg

ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR:

VC1 Carriage in bulk in sheeted vehicles, sheeted containers or sheeted bulk containers is permitted.

VC2 Carriage in bulk in closed vehicles, closed containers or closed bulk containers is permitted.

Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC)

VOC content (p/p): 0 %

VOC content: 0 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E1

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 10 of 12

Print date: 13/06/2024

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Restrictions on the manufacturing, placing on the market and use of certain dangerous substances, mixtures and articles:

Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
30. Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 classified as toxic to reproduction category 1A or 1B (Table 3.1) or toxic to reproduction category 1 or 2 (Table 3.2) and listed as follows: - Reproductive toxicant category 1A adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 1 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 5 - Reproductive toxicant category 1B adverse effects on sexual function and fertility or on development (Table 3.1) or reproductive toxicant category 2 with R60 (May impair fertility) or R61 (May cause harm to the unborn child) (Table 3.2) listed in Appendix 6	1. Shall not be placed on the market, or used, - as substances, - as constituents of other substances, or, - in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: - either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'. 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: - motor fuels which are covered by Directive 98/70/EC, - mineral oil products intended for use as fuel in mobile or fixed combustion plants, - fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Directive 1999/45/EC; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 4 : Acute toxicity (Inhalation), Category 4

Acute Tox. 4 : Acute toxicity (Oral), Category 4

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 Date of compilation: 2/03/2021

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 11 of 12

Print date: 13/06/2024

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1
Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2
Carc. 2 : Carcinogen, Category 2
Lact. : Effects on or via lactation
Repr. 1A : Reproductive toxicant, Category 1A
STOT RE 1 : Specific target organ toxicity following a repeated exposure, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:


Physical hazards On basis of test data
Health hazards Calculation method
Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Information on the TSCA Inventory (Toxic Substances Control Act) USA:

CAS No	Name	State
65997-18-4	Frits, chemicals (Subgrup 6CALT1)	Registered11
65997-18-4	Frits, chemicals (Subgrup 5.2)	Registered11
65997-18-4	Frits, chemicals (Pb >= 25 %)	Registered11
1317-38-0	copper oxide	Registered11
1309-37-1	diiron trioxide	Registered11

Risk classification system NFPA 704:



Health hazard: 3 (Extreme Danger)

Flammability: 0 (Will not burn)

Reactivity: 0 (Stable)

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

VO65003 GLASUR MOOSGRÜN



REIMBOLD & STRICK

Handels- und Entwicklungsgesellschaft
für chemisch-keramische Produkte mbH

Version 1 **Date of compilation: 2/03/2021**

Version 2 (replaces version 1)

Revision date: 06/04/2021

Page 12 of 12

Print date: 13/06/2024

Regulation (EU) 2020/878.
Regulation (EC) No 1907/2006.
Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.